CPT17BM03-4.0-P3.5R

Description

Picture

Chinasound Piezo Transducer 17mm diameter, type B(=8.0mm height), MPPO housing, 03Vp-p rated voltage - 4.0KHz resonant frequency -Pin length 3.5mm - RoHS compliant

Version: SP1.03.111-B0

- ♦ RoHS compliant
- Reliable Solid State Piezoelectric Technology
- Flame Retardant Plastic
- Contains Lead zirconium titanium oxide (CAS 12626-81-2) more than 0.1%

Frequency Response Curve




Description **Termination Strength**

Diaphragm

*Humidity

**Solderability

Case



Specification

Rated Voltage Operating Voltage Operating Frequency **Typical Sound Output Rated Current** Capacitance **Operating Temp. Storage Temperature** Termination

Construction Materials

Weight (Typical) Reliability

3 Vp-p, square wave 1 - 30 Vp-p, square wave

4,000+/-500Hz

80dB min. at 3Vp-p 10cm 4KHz 25 °C 1 mA at 3Vp-p 4KHz 25 °C 15,000+/-30% pF at 100Hz 1Vrms

-40 °C to +105 °C -40 °C to +120 °C

2 soldering pins, Sn plated Brass

Maximum of 9.8N (1kgs) for 10 seconds load pull test Plastic, Noryl PX9406 or equal

Brass Disc

1.16 g

At 3 Vp-p, 1 minutes ON 1 minutes OFF in room temperature continuously for 1000 hours *Life Test *High Temperature No function at +120+/-2 $^{\circ}$ C for 240 hours; Function at +105+/-2 $^{\circ}$ C for 240 hours *Low Temperature No function at -40+/-2 $^{\circ}$ C for 240 hours; Function at -40+/-2 $^{\circ}$ C for 240 hours

+40+/-2°C, 95+/-5%RH, 240 hours

-40+/-2 °C 0.5 hr → +25+/-2 °C 0.25 hr → +105+/-2 °C 0.5 hr → +25+/-2 °C 0.25 hr. Temperature Go *Thermal Shock

up or Drop time is 0.5 hr. 3 hrs per 1 cycle. Total is 5 cycles

*Vibration 1.5mm with 10 to 50Hz of vibration frequency to each of 3 perpendicular directions for 2 hours *Shock 980m/s^2 (=100g) shock for each mutually perpendicular directions, half sine wave, 3 times each Dropped naturally from 750mm height onto the surface of 10mm wooden board. 2 directions -*Drop Test

upper and side of the part are applied Soldering pads are immersed in +350+/-5 °C solder bath for 3+/-0.5 seconds *Soldering Heat Resistance


Soldering pads are immersed in rosin for 5 seconds and then immersed in $+350 + -5^{\circ}C$ solder bath

for 3+/-0.5 seconds

For a period of one (1) year from date of manufacture under normal operations * All specifications must be satisfied after the test (Recovery:2 to 4 hrs of recovery under the standard condition after the removal from test chamber).

**90% min. soldering pads shall be with solder.(except the edge of pad)

Dimensions (Unit:mm)



All specifications are subject to change without notice

Composed by: David Zhang/161130 Checked by: Jack Guo, James Zhu/161130 Approved by: William Wang/161130



ISO9001 certified

Revisions History

Version	Description	Name	Date
Number			
SP1.03.111-A0	Original,CPT17BM03-4.0-P3.5R	David Zhang	2015-03-16
SP1.03.111-A0	With regard to REACH regulation, add "Contains Lead zirconium titanium oxide (CAS 12626-81-2) more than 0.1%".	David Zhang	2016-11-30

