

MESSRS	S. :				
		•		•	
AGENT	:				

# SPECIFICATION OF PYROELECTRIC PASSIVE INFRARED SENSOR

MODEL NO.	:	SBG446-671
PART NO.	:	

# NIPPON CERAMIC CO., LTD.

176-17 Hirooka, Tottori-shi, 689-1193 JAPAN TEL: +81-857-53-4666 FAX: +81-857-53-3532

APPROVED BY	CHECKED BY	DRAWN BY

MODEL NO. :	DRAWING NO.	REV :	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :		А	1/8	NIPPON CERAMIC CO., LTD.



# <u>Scope</u>

This specification describes a pyroelectric passive infrared sensor supplied by NIPPON CERAMIC CO.,LTD.

# Type of sensor

Balanced differential(series opposed type.)

# Physical configuration

1) Package : TO-5 metal can with dimensions shown in Figure 1-c

(Ni-plated)

2) Element geometry : Four sensitive areas 1.0 mm \* 1.0 mm and

spaced 1.0 mm apart.

3) Element orientation : See Figure 1-b

4) Lead configuration : See Figure 1-c,1-d

# Electrical characteristics (at 25 (+/-) 5 degC)

1) Circuit configuration : Three-terminal sensor with source follower

See Figure 2

2) Operating voltage : 3 ~ 10 V dc (Rs: 470kohm)

3) Element polarity : Element A,C:(+) B,D:(-) or A,C:(-) B,D:(+)

4) Source voltage : 0.35 ~ 1.4 V (Vd: 5V, Vs: 470kohm)

MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :		А	2/8	NIPPON CERAMIC CO., LTD.



5) Signal output : Min. 4.5 Vp-p (Typ. 6.5 Vp-p) (S1, S2)

Signal output is measured at chopper frequency of 1 Hz when connected to the amplifier of gain 72.5 dB (at 1 Hz) and submitted to the emission of Infrared energy of 13 microW/cm<sup>2</sup> from 420 K Black Body.

See Figure 3

6) Noise output : Max. 250 mVp-p (Typ. 120 mVp-p)

Noise output shall be measured for 20 seconds when connected to the amplifier of gain 72.5 dB (at 1 Hz) and shut out from Infrared energy. See Figure 3

7) Balance output : Max. 15 %

 $[|S1-S2|/|S1+S2|] \le 0.15$ 

S1 : Signal output on Element A + C S2 : Signal output on Element B + D

Balance output is measured at chopper frequency of 1 Hz when connected to the amplifier of gain 72.5 dB (at 1 Hz) and submitted to the emission of Infrared energy of 13 microW/cm<sup>2</sup> from 420 K Black Body.

See Figure 3

8) Frequency response : 0.3 Hz to 3.0 Hz / (+/-) 10 dB

MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :		А	3/8	NIPPON CERAMIC CO., LTD.



# Optical characteristics

1) Field of view : 132 ° from center of element on axis x,y

: 146 ° from center of element on 45 °

: See Figure 1-a

2) Filter substrate : Silicon

3) Cut on (5 %T ABS) : 5.5 (+/-) 0.5 microm

4) Transmission : ≥ 70 % average 8 to 13 microm

# **Environmental requirements**

1) Operating temperature: -30 degC to +70 degC

2) Storage temperature : -40 degC to +80 degC

3) Relative humidity

The sensor shall operate without increase in noise output when exposed to  $90 \sim 95 \%$  RH at  $30 \deg$ C continuously.

4) Hermetic seal


The sensor shall be sealed to withstand a vacuum of 21.28 kPa.

# RoHS compliance

This product conforms to the RoHS Directive in force at the date of issuance of this Specification Sheet.

MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :		А	4/8	NIPPON CERAMIC CO., LTD.






MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :		А	5/8	NIPPON CERAMIC CO., LTD.




# Circuit configuration (Figure 2)




※ Measurement Amp.: Non-inverted type, gain 72.5 dB at 1 Hz , 0.4 to 2.7 Hz

✓-3 dB

# Test set-up block diagram (Figure 3)



# Occluder position



MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :	-	А	6/8	NIPPON CERAMIC CO., LTD.



### Notes

### 1.Design restrictions/precautions

If used for outdoor applications, be sure to apply suitable supplementary optical filter and drip-proof, anti-dew construction. This sensor is designed for indoor use.

in cases where secondary accidents due to operation failure or malfunctions can be anticipated, add a fail safe function to the design.

### 2.Usage restrictions/precautions

To prevent sensor malfunctions, operational failure or any deterioration of its characteristics, do not use this sensor in the following, or similar, conditions.

- a. In rapid environmental temperature changes.
- b. In strong shock or vibration.
- c. In a place where there are obstructing materials (glass,fog,etc.) Through which Infrared rays cannot pass within detection area.
- d. In fluid, corrosive gases and sea breeze.
- e. Continual use in high humidity atmosphere.
- f. Exposed to direct sun light or headlights of automobiles.
- g. Exposed to direct wind from a heater or air conditioner.

<u>3.A</u>	ssembly restrictions/precautions
	Soldering
	a. Use soldering irons when soldering.
	b. Avoid keeping pins of this sensor hot for a long time as excessive heat may
	cause deterioration of its quality.(e.g. within 5 sec. at 350 degC)
	Washing
	a. Be sure to wash out all flux after soldering as remainder may cause malfunctions.
	b. Use a brush when washing. Washing with an ultrasonic cleaner may cause operational failure.

MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671				_
PART NO. :		Α	7/8	NIPPON CERAMIC CO., LTD.



# 4. Handling and storage restrictions / precautions

To prevent sensor malfunctions, operational failure, appearance damage or any deterioration of its characteristics, do not expose this sensor to the following or similar, handling and storage conditions.

- a. Vibration for a long time.
- b. Strong shock.
- c. Static electricity or strong electromagnetic waves.
- d. High temperature and humidity for a long time.
- e. Corrosive gases or sea breeze.
- f. Dirty and dusty environments that may contaminate the optical window.

### 5.Restrictions on product use

The product described in this document shall not be used or embedded to any downstream products of which manufacture, use and/or sales are prohibited under any applicable lows and regulations.

Sensor troubles resulting from misuse, inappropriate handling or storage are not the manufacturer's responsibility.

MODEL NO. :	DRAWING NO.	REV:	PAGE	NOV.,29, 2013
SBG446-671 PART NO. :		А	8/8	NIPPON CERAMIC CO., LTD.